

Material Safety Data Sheet

Date: 21. April. 2015

Product details

MB-MST Double Adhesive Tape

[1] PRODUCT AND COMPANY IDENTIFICATION

.Manufacturer/Supplier: Jiangsu Canlon Building Materials Co.,Ltd

Address: NO.188, Hengtong Rd, Qidu Town, Wujiang Dist, Suzhou City, 215234, China

Tel: +86-512-6380 9938

Fax: +86-512-6380 7088

[2] COMPOSITION / INFORMATION ON INGREDIENTS

	Component %	CAS No
Rubber chips	28 %	68071-29-4
Polybutene	11%	9003-28-5
Wang resin	40%	201058-08-4
Agent	11%	
Others	10%	

Inhalation

The product is not likely to cause effects on the respiratory system. If the Tape is torch-applied, asphalt fumes can be emitted of the product and cause irritations to the nose, the throat and the respiratory tracts, tiredness, headaches, dizziness, nausea and insomnia.

Ingestion

Exposure is not likely to occur by this route of entry under normal use of the product.

Skin Contact

The repeated or prolonged contact can cause irritation. If the tape is torch-applied, asphalt fumes can be emitted. The long-term exposure to the asphalt fumes can cause changes of the pigmentation of the skin which can be worsened by the exposure to the sun.

Eye Contact

The product is not likely to cause effects to the eyes. If the tape is torch-applied, asphalt fumes can be emitted of the product and cause irritations, redness and conjunctivitis to the eyes. The contact with this product at high temperature can cause thermal burns.

[3] First-aid Measures

Inhalation

Remove to fresh air. Give oxygen / artificial respiration if needed. Consult Doctor.

Ingestion

Do not induce vomiting.

Eye Contact/Skin Contact

Remove contaminated clothing. Apply proprietary skin cleaner,

[4] Fire-fighting Measures

Extinguishing Media

Dry powder, CO₂, Earth, Sand, Foam. Do not use Water.

Special Fire Fighting procedures

Wear self-contained breathing apparatus, Full protective clothing. Spray drums with Water to keep cool.

Unusual Fire & Explosion Hazards

Vapour is heavier than air. Combustion Produces toxic gases

[5] Accidental Release Measures / Spills and Leaks

Steps to be taken in case material is released or spilled

Absorb onto inert material, e.g. sand, earth. Put into suitable containers.

Prevent from entering water courses

[6] Handling & Storage

Precautions for safe handling

Keep in tightly closed container in cool dry area from all sources of ignition

Other precautions

Store away from oxidizing agents, peroxides, Food stuffs

[7] Exposure Controls / Personal Protection

Respiratory Protection (Type)

Self-contained breathing apparatus if in enclosed spaces. Otherwise, not normally required.

[8] Ventilation

Local Exhaust

Ensure adequate ventilation to comply with OEL.

Protective Gloves Rubber, PVC

Eye Protection Safety goggles Long sleeved overalls

[9] Physical & Chemical Properties

Appearance transparent **Glue Shape** **pH** N/A

Boiling Point/Boiling range °C N/A

Specific Gravity N/A

Vapour pressure(MM mercury) N/A

Melting Point /Freezing point N/A

Water Solubility Insoluble

Viscosity N/A

Percentage Volatile by volume % N/A

Evaporation Rate (Butyl Acetate=1)	N/A
Flash Point °C / Method used	N/A
Lower Explosive limits	NA
Upper Explosive limits	NA

[10] Stability & Reactivity

Stability Stable under normal conditions

Conditions to avoid High temperatures

Incompatibility/Materials to avoid Oxidising agents, strong acids, alkalis, Halogens

Hazardous Decomposition Products Combustion produces toxic gases

Hazardous Polymerisation Will not occur

[11] Toxicological Information

No information available on this product

[12] Ecological Information

No data, This product is not biodegradable. No possible bioaccumulation and unlikely bioconcentration in the food chain.

[13] Disposal Consideration

This product is not hazardous waste. Consult local, provincial, territory or state authorities to know disposal methods

[14] Transport Information

Class This product is not regulated by Department of Transportation

[15] Regulatory Information (Risk & Safety Phrases)

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic Environment

Wear suitable protective clothing, gloves and eye / face protection

[16] Other information

The contents and format of this MSDS are in accordance with ISO Commission Directive ISO11014-1:1994.

DISCLAIMER OF LIABILITY

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is

provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may be applicable.